

### **Declaration of Performance**

DOP/BR/54438/54335

## **KPRO Façade - GP (GP Render)**

#### 1. Unique Identification code of the product - type: Code - 54438/54335

**2. Intended use:** Kilsaran Concrete declares, that the products named above, for use in external rendering and internal plastering, conforms to the provisions of Annex ZA of EN 998-1.

3. Manufacturer: Kilsaran Concrete, Piercetown Dunboyne Co. Meath - Manufactured at Brownstown Kilcullen Co. Kildare

#### 4. Authorised Representative: N/A

5. System/s of AVCP: System 4 (third party certified product)

6a. Harmonised Standard: EN998-1:2016 Notified Body: N/A

#### 7. Declared Performance

Characteristic	Declared Performance	Harmonised Technical Specification
Compressive Strength	CS III	I.S. EN 998-1:2016 (I.S. EN 1015-11)
Reaction to Fire	Class A1	I.S. EN 998-1:2016
Water Absorption	Wc 2	I.S. EN 998-1:2016 (I.S. EN 1015-18)
Water Vapour Permeability	μ < 10	I.S. EN 998-1:2016 (EN 1015-19)
Adhesion	> 0.2 N/mm <sup>2</sup> (A)	I.S. EN 998-1:2016 (I.S. EN 1015-12)
Thermal Conductivity	0.67 W/mK (λ10,dry unit) (tab.)	I.S. EN 998-1:2016 (I.S. EN 1745 Annex A)
Durability Against Freeze Thaw	Please refer to water absorption and adhesion	

#### 8. N/A

http://www.kilsaran.ie/build/technical - downloads

Note 1: Information on dangerous substances will only be given when and where required in the appropriate form. See Annex ZA.1 EN 998-1.

Note 2:The performance of the product identified above is in conformance with the set of declared performances, when installed/used in accordance with the manufacturers instructions and the relevant standards, codes of practice, building regulations and specifically IS EN 13914 and SR 325/EC6. This declaration of performance is issued in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer

to falk

Ken Mulkerrins Technical Manager

01/06/2020



# CE

#### Kilsaran Concrete Piercetown, Dunboyne Co. Meath 13

#### EN 998-1 KPRO Façade - GP Render

General Purpose rendering mortar for use in external rendering and internal plastering

Compressive Strength:	CS III
Reaction to Fire:	Class A1
Water Absorption:	W2
Water Vapour Permeability:	µ ≤ 10
Adhesion	> 0.2 N/mm² (A)
Thermal Conductivity:	0.67 W/mK ( $\lambda$ 10,dry unit) (tab.)
Durability (against freeze-thaw):	Please refer to water absorption

and adhesion

Note: Information on dangerous substances will only be given when and where required in the appropriate form. See Annex ZA.1 EN998-1:2016