



Kent Flag

The paving showcases a distinctive ground and lightly shot-blasted combined finish that emulates the look and feel of natural stone.



Pedestrian
Use



Light
Traffic



Eco
Range

Colour Profile



Silver Granite



Black Granite



Buff Granite

3D Profile



Features


- Concrete Flag Paving
- Unique ground then lightly shot blasted combined finish that emulates natural stone
- Suitable for use on patios, paths and commercial pedestrian areas
- Available in 3 standard colours, with the option to choose from our bespoke colour range as a special made to order
- Silver granite jointing sand should be used with granite textured paving

Benefits

- Exceptional strength and durability thanks to its premium granite surface
- Maintains certified slip resistance for the full lifecycle- unlike natural granite or porcelain
- More cost-effective to supply and install compared to traditional alternatives
- Optional factory-applied sealant available for enhanced surface protection and ease of maintenance



Sizing



Packaging Information

Dimensions (mm)	Colours	Pcs per m2	m2 per Bale	Pcs per Bale	Pcs per Layer	Approx Bale Weight (kg)	Profile
400x400x40	Silver Granite, Black Granite, Buff Granite	6.25	13.44	84	14	1215	Chamfer
450x450x40		4.94	12.96	64	16	1150	Square Edge
400x400x50	Silver Granite, Black Granite, Buff Granite	6.25	11.52	72	12	1232	Chamfer
450x450x50		4.95	11.34	56	14	1232	Square Edge
600x300x50		5.55	11.88	66	11	1300	Chamfer
600x400x50		4.16	11.52	48	12	1215	Square Edge
400x400x63	Silver Granite, Black Granite, Buff Granite	6.25	8.64	54	9	1200	Chamfer
450x450x70	Silver Granite, Black Granite, Buff Granite	4.94	8.1	40	10	950	Square Edge
400x400x80	Silver Granite, Black Granite, Buff Granite	5.25	6.72	42	7	1130	Chamfer
600x400x80		4.16	6.72	28	7	1130	Chamfer

Get In Touch:

☎ (01) 802 6300

✉ technical@kilsaran.ie

