Safety Data Sheet according to (EC) No 1907/2006

Page 1 of 9

SDS No.: 323035 V001.4

Revision: 21.05.2015

printing date: 06.12.2017

Replaces version from: 13.02.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ceresit CT 16

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

Primer

Ceresit CT 16

1.3. Details of the supplier of the safety data sheet

Henkel Polska Sp. z o.o. ul. Domaniewska 41 02-672 Warszawa

Poland

Phone: +48 (048) 22 5656 600 Fax-no.: +48 (048) 22 5656 666

ua-productsafety.uk@uk.henkel.com

1.4. Emergency telephone number

24 Hours Emergency Tel: +44 0 8701 906777 - For further general health & safety, technical and practical advice on this product, please call +44 (0) 1606 593933 or write to: Technical Services; Henkel Limited; Road 5; Winsford Industrial Estate; Winsford; Cheshire; CW7 3QY- Email: technical.services@henkel.co.uk

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

2.2. Label elements

Label elements (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

Supplemental information Contains 1,2-Benzisothiazol-3(2H)-one; Isothiazolinone mixture 3:1. May produce an

allergic reaction.

Precautionary statement: P102 Keep out of reach of children.

P101 If medical advice is needed, have product container or label at hand.

P262 Do not get in eyes, on skin, or on clothing. P271 Use only outdoors or in a well-ventilated area. MSDS-No.: 323035 Ceresit CT 16 Page 2 of 9

V001.4

2.3. Other hazards

None if used properly.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General chemical description:

Primer

Base substances of preparation:

Inorganic fillers

Declaration of the ingredients according to CLP (EC) No 1272/2008:

Hazardous components CAS-No.	EC Number REACH-Reg No.	content	Classification
Quartz (SiO2) "respirable particulates (reaches the alveoli)" (RCS) >=1% - <10% 14808-60-7	238-878-4	1- < 3 %	STOT RE 2; Inhalation H373
1,2-Benzisothiazol-3(2H)-one 2634-33-5	220-120-9	50- < 500 PPM	Aquatic Acute 1 H400 Aquatic Chronic 2 H411 Acute Tox. 4; Oral H302 Skin Irrit. 2 H315 Skin Sens. 1 H317 Eye Dam. 1 H318
Isothiazolinone mixture 3:1 55965-84-9		1,5-< 15 PPM	Acute Tox. 3; Inhalation H331 Acute Tox. 3; Dermal H311 Acute Tox. 3; Oral H301 Skin Corr. 1B H314 Skin Sens. 1 H317 Aquatic Acute 1 H400 Aquatic Chronic 1 H410

For full text of the H - statements and other abbreviations see section 16 "Other information". Substances without classification may have community workplace exposure limits available.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of adverse health effects seek medical advice.

Inhalation:

Move to fresh air, consult doctor if complaint persists.

Skin contact:

Rinse with running water and soap. Apply replenishing cream. Change all contaminated clothing.

Eye contact:

Rinse immediately with plenty of running water, seek medical advice if necessary.

MSDS-No.: 323035 Ceresit CT 16 Page 3 of 9

V001.4

Ingestion:

Rinse mouth and throat. Drink 1-2 glasses of water. Seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

carbon dioxide, foam, powder, water spray jet, fine water spray

Extinguishing media which must not be used for safety reasons:

High pressure waterjet

5.2. Special hazards arising from the substance or mixture

In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO2) can be released.

5.3. Advice for firefighters

Wear protective equipment.

Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment.

Danger of slipping on spilled product.

6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

6.3. Methods and material for containment and cleaning up

Remove with liquid-absorbing material (sand, peat, sawdust).

Dispose of contaminated material as waste according to Section 13.

6.4. Reference to other sections

See advice in section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid skin and eye contact.

Ensure good ventilation/suction at the workplace.

Hygiene measures:

Do not eat, drink or smoke while working.

Wash hands before work breaks and after finishing work.

7.2. Conditions for safe storage, including any incompatibilities

Store in sealed original container.

Store in a cool, dry place.

Protect from freezing.

Do not store together with food or other consumables (coffee, tea, tobacco, etc.).

7.3. Specific end use(s)

Primer

MSDS-No.: 323035 Ceresit CT 16 Page 4 of 9

V001.4

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limits

Valid for

Great Britain

None

Biological Exposure Indices:

None

8.2. Exposure controls:

Respiratory protection:

Ensure adequate ventilation.

Hand protection:

In the case of longer contact protective gloves made from nitrile rubber are recommended according to EN 374.

Perforation time > 60 minutes

material thickness > 0.1 mm

In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, product compatibility, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. The information provided by the manufacturers and given in the relevant trade association regulations for industrial safety must always be observed. We recommend that a hand care plan is drawn up in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

Eye protection: Protective goggles

Skin protection:

Suitable protective clothing

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance liquid Whitish
Odor characteristic

Odour threshold No data available / Not applicable

pH 7,5 - 8,0

(20 °C (68 °F))

Initial boiling point No data available / Not applicable

Flash point Not applicable

Decomposition temperature No data available / Not applicable Vapour pressure No data available / Not applicable

Density 1,35 - 1,65 g/cm3

(20 °C (68 °F))

Bulk density No data available / Not applicable

Viscosity 4.000 mPa.s

(Brookfield; 20 °C (68 °F))

Viscosity (kinematic) No data available / Not applicable Explosive properties No data available / Not applicable

Solubility (qualitative) Insoluble (20 °C (68 °F); Solvent: Water)

Solubility (qualitative) Miscible

Solidification temperature

Melting point

No data available / Not applicable
No data available / Not applicable
Flammability

No data available / Not applicable

MSDS-No.: 323035 Ceresit CT 16 Page 5 of 9

V001.4

Auto-ignition temperature

Explosive limits

No data available / Not applicable
Partition coefficient: n-octanol/water

No data available / Not applicable
Partition rate

No data available / Not applicable
No data available / Not applicable
Vapor density

No data available / Not applicable
Oxidising properties

No data available / Not applicable

9.2. Other information

No data available / Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

None if used for intended purpose.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

See section reactivity

10.4. Conditions to avoid

None if used for intended purpose.

10.5. Incompatible materials

None if used properly.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

General toxicological information:

The mixture is classified based on the available hazard information for the ingredients as defined in the classification criteria for mixtures for each hazard class or differentiation in Annex I to Regulation 1272/2008/EC. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following.

Sensitizing:

An allergic reaction cannot be excluded after repeated skin contact.

Acute oral toxicity:

Hazardous components CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
1,2-Benzisothiazol-3(2H)-	Acute	670 mg/kg	oral			Expert judgement
one	toxicity					
2634-33-5	estimate					
	(ATE)					
1,2-Benzisothiazol-3(2H)-	LD50	670 - 784			rat	EPA Guideline
one		mg/kg				
2634-33-5						
Isothiazolinone mixture	LD50	53 mg/kg	oral		rat	
3:1						
55965-84-9						

Acute inhalative toxicity:

Hazardous components	Value	Value	Route of	Exposure	Species	Method
CAS-No.	type		application	time		

MSDS-No.: 323035 Ceresit CT 16 Page 6 of 9

V001.4

Acute dermal toxicity:

Hazardous components	Value	Value	Route of	Exposure	Species	Method
CAS-No.	type		application	time		
1,2-Benzisothiazol-3(2H)-	LD50	> 5.000 mg/kg	dermal		rat	EPA OPP 81-2 (Acute Dermal
one						Toxicity)
2634-33-5						

Skin corrosion/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
1,2-Benzisothiazol-3(2H)-	moderately irritating	4 h	rabbit	EPA OPP 81-5 (Acute Dermal
one				Irritation)
2634-33-5				iiiitatioii)

Serious eye damage/irritation:

Hazardous components	Result	Exposure	Species	Method
CAS-No.		time		
1,2-Benzisothiazol-3(2H)-	highly irritating	48 h	rabbit	EPA OPP 81-4 (Acute Eye
one				Irritation)
2634-33-5				
1,2-Benzisothiazol-3(2H)-	highly irritating		rabbit	Draize Test
one				
2634-33-5				

Respiratory or skin sensitization:

Hazardous components CAS-No.	Result	Test type	Species	Method
1,2-Benzisothiazol-3(2H)-	sensitising	Guinea pig	guinea pig	Magnusson and Kligman
one		maximisat		Method
2634-33-5		ion test		

Germ cell mutagenicity:

Hazardous components CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
1,2-Benzisothiazol-3(2H)- one 2634-33-5	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
	negative	mammalian cell gene mutation assay	with and without		OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
1,2-Benzisothiazol-3(2H)- one 2634-33-5	negative			mouse	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)
	negative	oral: unspecified		rat	OECD Guideline 486 (Unscheduled DNA Synthesis (UDS) Test with Mammalian Liver Cells in vivo)
	negative	oral: gavage		mouse	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Repeated dose toxicity

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Method
1,2-Benzisothiazol-3(2H)-	NOAEL=10 mg/kg	oral: gavage	90 daysdaily	rat	OECD Guideline 408
one 2634-33-5					(Repeated Dose 90-Day Oral Toxicity in Rodents)

MSDS-No.: 323035 Ceresit CT 16 Page 7 of 9

V001.4

SECTION 12: Ecological information

General ecological information:

Do not empty into drains, soil or bodies of water.

The mixture is classified based on the available hazard information for the ingredients as defined in the classification criteria for mixtures for each hazard class or differentiation in Annex I to Regulation 1272/2008/EC. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following.

12.1. Toxicity

Hazardous components CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
1,2-Benzisothiazol-3(2H)-one	LC50	1,4 mg/l	Fish	96 h	Salmo gairdneri (new name:	OECD Guideline
2634-33-5					Oncorhynchus mykiss)	203 (Fish, Acute
						Toxicity Test)
	NOEC	0,21 mg/l	Fish	30 d	Oncorhynchus mykiss	OECD Guideline
						215 (Fish, Juvenile
			Ĺ			Growth Test)
1,2-Benzisothiazol-3(2H)-one	EC50	1,05 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline
2634-33-5						202 (Daphnia sp.
						Acute
						Immobilisation
			J			Test)
1,2-Benzisothiazol-3(2H)-one	EC10	0,04 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	OECD Guideline
2634-33-5						201 (Alga, Growth
						Inhibition Test)
	EC50	0,11 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	OECD Guideline
						201 (Alga, Growth
						Inhibition Test)
1,2-Benzisothiazol-3(2H)-one	NOEC	1,2 mg/l	chronic	21 d	Daphnia magna	OECD 211
2634-33-5			Daphnia			(Daphnia magna,
						Reproduction Test)
Isothiazolinone mixture 3:1	LC50	0,22 mg/l	Fish	96 h	Oncorhynchus mykiss	OECD Guideline
55965-84-9						203 (Fish, Acute
						Toxicity Test)
	NOEC	0,098 mg/l	Fish	28 d	Oncorhynchus mykiss	OECD 210 (fish
						early lite stage
						toxicity test)
Isothiazolinone mixture 3:1	EC50	0,048 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	OECD Guideline
55965-84-9						201 (Alga, Growth
						Inhibition Test)
	NOEC	0,0012 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	OECD Guideline
						201 (Alga, Growth
						Inhibition Test)
Isothiazolinone mixture 3:1	NOEC	0,0036 mg/l	chronic	21 d	Daphnia magna	OECD 211
55965-84-9			Daphnia			(Daphnia magna,
l			[I	l	Reproduction Test)

12.2. Persistence and degradability

Hazardous components CAS-No.	Result	Route of application	Degradability	Method
Isothiazolinone mixture 3:1	readily biodegradable		> 60 %	OECD Guideline 301 D (Ready
55965-84-9				Biodegradability: Closed Bottle
				Test)

12.3. Bioaccumulative potential / 12.4. Mobility in soil

Hazardous components	LogKow	Bioconcentration	Exposure	Species	Temperature	Method
CAS-No.		factor (BCF)	time			
Isothiazolinone mixture 3:1	-0,71 -				20 °C	OECD Guideline 117
55965-84-9	0,75					(Partition Coefficient (n-
						octanol / water), HPLC
						Method)

12.5. Results of PBT and vPvB assessment

Hazardous components	PBT/vPvB
CAS-No.	

MSDS-No.: 323035 Ceresit CT 16 Page 8 of 9

V001.4

Quartz (SiO2) "respirable particulates (reaches the alveoli)" (RCS) >=1% - <10% 14808-60-7	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.
1,2-Benzisothiazol-3(2H)-one	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very
2634-33-5	Bioaccumulative (vPvB) criteria.
Isothiazolinone mixture 3:1	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very
55965-84-9	Bioaccumulative (vPvB) criteria.

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal:

Dispose of waste and residues in accordance with local authority requirements.

Disposal of uncleaned packages:

Use packages for recycling only when totally empty.

Waste code 080410

SECTION 14: Transport information

14.1. UN number

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.2. UN proper shipping name

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.3. Transport hazard class(es)

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.4. Packaging group

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.5. Environmental hazards

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.6. Special precautions for user

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

$15.1.\ Safety, health\ and\ environmental\ regulations/legislation\ specific\ for\ the\ substance\ or\ mixture$

VOC content

MSDS-No.: 323035 Ceresit CT 16 Page 9 of 9

V001.4

VOC Paints and Varnishes (EU):

Regulatory Basis: Directive 2004/42/EC

Product (sub)category: Exterior walls of mineral substrate

Phase I (from 1.1.2007): 75 g/l
Phase II (from 1.1.2010): 40 g/l
max. VOC content: 9,2 g/l

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text

of all abbreviations indicated by codes in this safety data sheet are as follows:

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

Further information:

The product is intended for industrial use.

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.