

June 2020

1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

1.1 Product identifier:

KPRO Repair

- CSM 100
- CSM 101
- CSM 120
- CRM 201
- CRM 203

1.2 Relevant identified uses of the substance or mixture and uses advised against:

KPRO Repair mortars are fine cementitious products suitable for use in all general concrete repair work, both internally and externally.

1.3 Details of the supplier of the safety data sheet:

Kilsaran International

Company address:

Piercetown Dunboyne, Co. Meath, Republic of Ireland A86 W820

Telephone: 01 8026300

E-mail of person responsible for Safety Data Sheet

Eddie.mulgrew@kilsaran.ie

1.4 Emergency Telephone number:

National Poisons Information Centre Emergency Telephone (NPIC) number:

+353 (01) 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

2 HAZARDS IDENTIFICATION

2.1 Classification of the mixture:

2.1.1 According to regulation (EC) No. 1272/2008 (CLP)

Hazard Class	Hazard Category	Hazard Statements
Acute Toxicity	4	H302: Harmful if swallowed
Skin corrosion/ Irritation	2	H315: Causes skin irritation
Serious eye damage/eye irritation	2	H319: Causes serious eye damage
Acute Toxicity	4	H332: harmful if inhaled
Specific target organ toxicity	3	H335: May cause respiratory irritation

2.2 Label elements:

According to Regulation (EC) No. 1272/2008 (CLP) Hazard Pictograms.



Signal Word:

Danger.

Hazard Statements:

H302: Harmful if swallowed H315: Causes skin irritation H319: Causes serious eye damage

H332: Harmful if inhaled

H335: May cause respiratory irritation



Precautionary statements:

- · Contains Portland cement.
- P102: Keep out of reach of children.
- P202: Do not use until all safety precautions have been read and understood.
- P260: Do not breathe dust
- · P262: Do not get in eyes, on skin or on clothing.
- P280: Wear protective gloves / protective clothing / eye protection / face protection.
- P305+P351+P338+P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing. Get medical advice / attention.
- P302+P352+P333+P313: IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs get medical advice / attention.
- Get medical advice / attention IF YOU FEEL UNWELL.
- P501 Disposal: Allow to harden and dispose of as concrete waste.
- INGESTION: Swallowing small amounts of dry concrete in powder form is unlikely to cause any significant reaction. Larger amounts can cause irritation of the stomach and intestines.

2.3 Other hazards:

 Cutting, drilling or hammering of hardened/dry concrete can create dust. Hardened concrete may be high in silica and can cause respiratory problems, particularly when it is being drilled or cut or sawn if precautionary measures are not taken. Respirable crystalline silica has been associated with the lung disease, Silicosis.

3 COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances:

Not applicable

3.2 Mixtures:

Substance	Portland cement
% by weight	5-25%
EC No	266-043-4
CAS No	65997-15-1
CLP Classification	H302, H315, H319, H332, H335

Note: Concrete is a mixture of cementitious material which may be cement or a mixture of cement with an addition (e.g. Fly ash or Ground Granulated Blast Furnace Slag), fine and course aggregate, water, and admixtures or additives (< 1%) which may be added to modify the properties of the fresh or hardend concrete.

4 FIRST AID MEASURES

General advice: In all cases seek medical advice if symptoms persist.

4.1 Description of first aid measures:

4.1.1 CONTACT WITH EYES:

- Do not rub eyes to avoid possible cornea damage. Incline head to injured eye, open the eyelid(s) widely and flush eye(s) immediately by thoroughly rinsing with plenty of clean water for at least 20 minutes to remove all particles.
- Remove contact lenses, if present and easy to do so. Continue rinsing.
- · Avoid flushing particles into uninjured eye.
- If possible, use isotonic water (0.9% NaCl). Contact a specialist of occupational medicine or an eye specialist, preferably an ophthalmologist.

SKIN CONTACT:

 Wash skin with plenty of water. Remove contaminated clothing, footwear, watches, etc. and clean thoroughly before re-use. Seek medical treatment in all cases of skin irritation (redness, rash, blistering) or burns.

INGESTION:

- Do not induce vomiting.
- If the person is conscious, wash out mouth with water and give plenty of water to drink.
- Get immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed:

Eyes: Eye contact with concrete products may cause serious and potentially irreversible injuries.

Skin: Concrete products have an irritating effect on moist skin (due to sweat or humidity) after prolonged contact or may cause contact dermatitis after repeated contact. Prolonged skin contact with concrete may cause serious burns because they develop without pain being felt.

4.3 Indication of any immediate medical attention and special treatment needed:

When contacting a doctor/physician, take this SDS or the product label with you.

If in Eyes: Contact a specialist of occupational medicine or an eye specialist, preferably an ophthalmologist.

5 FIRE-FIGHTING MEASURES

KIIsaran KPRO REPAIR

MATERIAL SAFETY DATA SHEET

5.1 Extinguishing media:

Common concretes are not flammable.

5.2 Special hazards arising from the mixture:

Common concretes are non-combustible, nonexplosive and will not facilitate or sustain the combustion of other materials.

5.3 Advice for Firefighters:

Common concretes pose no fire-related hazards. If a fire occurs in the vicinity of concrete then general measures for a fire are applicable: Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

6.1.1 For non-emergency personnel:

Wear protective equipment as described under Section 8 (Exposure Controls / Personal Protection) and follow the advice for safe handling and use given under Section 7 (Handling & Storage).

6.1.2 For emergency responders:

Emergency procedures are not required. However, respiratory protection is needed in situations with high dust levels

6.2 Environmental precautions:

Avoid release to the environment. Do not wash concrete down sewage and drainage systems or into bodies of water (e.g. streams). Large spillages or uncontrolled discharges into watercourses must be alerted to the Environment Protection Agency, County Council or other appropriate regulatory body.

6.3 Methods and material for containment and cleaning up:

6.3.1 Collect the spillage in a dry state if possible.

6.3.2

- Clean up wet concrete and place in a container.
- Allow material to dry and solidify before disposal as described under Section 13 (Disposal Considerations).

6.4 Reference to other sections:

See section 8 (Exposure Controls / Personal Protection) and section 13 (Disposal Considerations) for more details.

7 HANDLING AND STORAGE

7.1 Precautions for safe handling:

7.1.1 Protective Measures:

- Avoid skin and eye contact because contact with wet concrete can cause serious alkali burns and may also cause skin disease by the combination of the wetness, alkalinity of concrete
- Thoroughly clean and wash all affected areas with soapy water.
- Do not sit or kneel on wet, unhardened concrete without wearing the correct personal protective equipment.
- When concrete enters boots or gloves or saturates clothing, the article should be removed immediately and washed before further use.

7.1.2 Information on General Occupation Hygiene:

Do not handle or store near food and beverages or smoking materials. In dusty environment, wear dust mask and protective goggles. Use protective gloves to avoid skin contact. See section 8 for details on hand protection.

7.2 Conditions for safe storage, including any compatibilities:

Wet concrete is normally used when mixed. However, the hardening process of concrete can be delayed by the use of additions and/or admixtures, extending the period during which the precautions given in this data sheet should continue to be taken and during which time access by unauthorised persons should be prevented.

7.3 Specific end uses:

No additional information for the specific end uses (see section 1.2, Relevant identified use of the substance or mixture and uses advised against)

8 EXPOSURE CONTROLS/PERSONAL PROTECTION



8.1 Control parameters:

Ingredient	OELV (8 hour TWA)	Legal Reference
Portland Cement	1mg/M ³	Chemical agents CoP 2011

8.2 Exposure controls:

8.2.1 Appropriate Engineering controls:Not applicable.

8.2.2 Individual protection measures, such as personal protective equipment:

 a) Eye/face Protection: Goggles or safety glasses should be worn to prevent the product entering the eyes. Goggles or safety glasses should conform to EN 166.

b) Skin Protection:

- Hand Protection: Impermeable gloves must be worn. Gloves should conform to EN 374-3
- Other: Footwear (boots and wellingtons) should meet EN ISO 20345:2011, S4 Minimum.
- Respiratory Protection: Not Applicable to wet concrete
- d) Thermal Hazards: Not Applicable

8.2.3 Environmental exposure controls:

Water: Do not wash concrete into sewage systems or into bodies of water to avoid high pH.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

Appearance	White or Grey, granular paste unless pigmented	
Odour	Slight, earthy odour	
рН	12	
Melting point / Freezing point	Not determined	
Initial boiling point and boiling range	Not determined	
Flash point	Not applicable	
Evaporation point	Not applicable	
Flammability (solid, gas)	Not applicable	
Upper/lower Flammability or explosive limits	Not applicable	
Vapour Pressure and density	Not applicable	
Relative Density	1.6 to 1.7	
Solubility(ies)	Not applicable	
Partition coefficient: n- octanol/water	Not applicable as product is an inorganic mixture	
Auto-Ignition temperature	Not applicable	
Decomposition temperature	Not applicable as no organic peroxide present	
Viscosity	Not applicable	
Explosive properties	Not applicable	
Oxidising Properties	Not applicable	

9.2 Other information:

Not applicable.

KIIsaran KPRO REPAIR

MATERIAL SAFETY DATA SHEET

10 STABILITY AND REACTIVITY

10.1 Reactivity:

Concretes will harden into a stable mass that is not reactive in normal environments.

10.2 Chemical stability:

Concretes are stable as long as they are properly stored (see Section 7) and compatible with most other building materials. Concrete is alkaline and incompatible with acids, with ammonium salts, with aluminium or other non-noble metals.

10.3 Possibility of hazardous reactions: Not applicable.

10.4 Conditions to avoid:

Not applicable.

10.5 Incompatible materials:

Not applicable.

10.6 Hazardous decomposition products:

Not applicable.

11 TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

Not Applicable.

12 ECOLOGICAL INFORMATION

12.1 Toxicity:

Not applicable.

12.2 Persistence and degradability:

Not applicable.

12.3 Bio-accumulative potential:

Not applicable.

12.4 Mobility in soil:

Not applicable.

12.5 Results of PBT and uPvB assessment:

Not applicable.

12.6 Other adverse effects:

None.

13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Alternative uses should be sought for any surplus concrete. Concrete waste should be disposed of in accordance with local authority guidance/ regulations. Avoid entry of concrete waste into sewage or drainage systems or bodies of water, e.g. streams and rivers.

14 TRANSPORT INFORMATION

Concrete is not covered by the international regulations on the Transport of Dangerous Goods (IMDG, IATA, ADR/RID). No special precautions are needed apart from those mentioned under Section 8.

14.1 UN number:

Not applicable.

14.2 UN proper shipping name:

Not applicable.

14.3 Transport hazard classes:

Not applicable.

14.4 Packing group:

Not applicable.

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user:

Not applicable.

14.7 Transport in bulk according to Annex II of MARPOL 73778 and the IBC code:

Not applicable.

15 REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Concrete is a mixture under REACH Regulation (EC) No. 1907/2006 and CLP Regulation (EC) No. 1272/2008 and is not subject to registration.

15.2 Chemical safety assessment:

Not Applicable.

16 OTHER INFORMATION



Safety Data Sheet updated according to Regulation EC No 1907/2006 (REACH) as amended by Regulation (EU) No.2015/830.

Abbreviations and acronyms:

ADR/RID: European agreements on the transport of

dangerous goods by roads/railway. CAS: Chemical abstracts service OELV: Operational Exposure Limit Value

REACH: Registration, Evaluation and Authorisation of

Chemicals.

SDS: Safety Data Sheet

EINECS: European Inventory of Existing Chemical

Substances

STOT: Specific Target Organ Toxicity. PPE: Personal Protective Equipment.

Training advice:

Safe pass training is a legal requirement for all construction workers. Companies must ensure that their workers read, understand and apply the requirements of the SDS and wear and use PPE. PPE must be worn in accordance with the manufacturer's instructions and users must be trained on how to use.

Disclaimer:

The information in this Safety Data Sheet was believed to be correct at the time of issue. However, no warranty is made or implied as to the accuracy or completeness of this information. If you have purchased this product for supply to a third party for use at work, it is your duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. If you are an employer it is your duty to tell your employees and others who may be affected by any hazards described in this sheet and any of the precautions which should be taken. This safety data sheet does not constitute the users own assessment of workplace risk and it is the users sole responsibility to take all necessary precautions when using this product.