



Pembroke Flag

Known for its distinctive rectangular paving flags, the Pembroke range is a sophisticated stand out look.



Pedestrian
Use



Light
Traffic



Eco
Range

Colour Profile



Silver Granite



Black Granite



Slate

3D Profile



Features


- Concrete Flag Paving.
- Standard surface finish using premium granite aggregates.
- Can be laid in a variety of patterns depending on unit selected.
- Available in 3 standard colours, in shotblasted, standard and ground ranges.
- Bespoke colours available upon request.
- Available in a 5-size mix or a single size mix, 80mm only.

Benefits

- Extremely robust due to the increased cement content and granite surface.
- Unlike Natural Granite and Porcelain, the Pembroke Flag Paving keeps the declared slip resistance of extremely low throughout its life cycle.
- Cost reduction on supply and installation when compared to natural Granite and Porcelain.



Sizing



Packaging Information

Dimensions (mm)	Colours	Pcs per m ²	m ² per Bale	Pcs per Bale	Pcs per Layer	Approx Bale Weight (kg)	Profile
5- size Mix 300x125, 400x125, 500x125, 500x175, 700x175	Silver Granite, Black Granite, Slate	N/A	7.2	70	10	1100	Square Edge
600x200	Silver Granite, Black Granite, Slate	8.33	6.72	56	8	1190	Square Edge

Get In Touch:

 (01) 802 6300

 technical@kilsaran.ie

