

Declaration of Performance

DOP/225/39

Kerb & Kerb Sett

Piercetown, Dunboyne, Co.Meath

1. Unique Identification code of the product - type: Code - 225/39 - kerb & Kerb Sett

2. Intended use: External Flooring

3. Manufacturer: Kilsaran Concrete, Piercetown, Dunboyne Co. Meath

5. System of AVCP: System 4

6a. Harmonised Standard: EN 1340

7. Declared Performance

| Characteristic | Declared Performance | Harmonised Technical Specification |
|---------------------------|----------------------|------------------------------------|
| Reaction to Fire | Class A1 | EN 1340 - 5.3.6.1 |
| External Fire Performance | X | |
| Emissions of Asbestos | X | |
| Breaking Strength | ≥ 3.5 MPa | EN 1340 - 5.3.3 |
| Slip/Skid Resistance | > 45 (Low) | EN 1340 - 5.3.5 |
| Thermal Conductivity | X | |
| Durability | Satisfactory | |

8. N/A

<http://www.kilsaran.ie/build/technical-downloads/>

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Chris O'Reilly at Piercetown, Dunboyne, Co.Meath on 18th January 2016

Position: Quality Engineer





Kilsaran Concrete
Piercetown, Dunboyne Co. Meath
16

EN 1340
Kerb & Kerb Sett

Concrete Kerb Units for use in (External Flooring)

| | |
|--|--------------|
| Reaction to Fire: | Class A1 |
| External Fire Performance | X |
| Emissions of Asbestos | X |
| Breaking Strength | ≥ 3.5 MPa |
| Slip/Skid Resistance | > 45 (Low) |
| Thermal Conductivity: | X |
| Durability (against freeze-thaw): | Satisfactory |