

Declaration of Performance

DOP/LU/82667

Cemfloor C20 F4**1. Unique Identification code of the product - type:** Code - 82667**2. Intended use:** Kilsaran Concrete declares, in accordance with Regulation (EU) No. 305/2011 of the European Parliament and of the Council, that the products, named above for use as an internal levelling screed, conforms to the provisions of Annex ZA of EN 13813.**3. Manufacturer:** Kilsaran Concrete, Piercetown Dunboyne Co. Meath - Manufactured at Lucan Co. Dublin**4. Authorised Representative:** n/a**5. System/s of AVCP:** System 4**6a. Harmonised Standard:** EN13813 **Notified Body:** n/a**7. Declared Performance**

Characteristic	Declared Performance	Harmonised Technical Specification
Compressive Strength	C20	EN 13892-2
Flexural Strength	F4	EN 13892-2
Reaction to Fire	Class A1	EN 13501-1
Water Permeability	NPD	N/A
Water Vapour Permeability	NPD	N/A
Sound Insulation	NPD	N/A
Sound Absorption	NPD	N/A
Thermal Resistance	NPD	N/A
Chemical Resistance	NPD	N/A
Release of Corrosive Substances (pH)	CT	EN 13454-2

8. N/A<http://www.kilsaran.ie/build/technical - downloads>

Note 1: Information on dangerous substances will only be given when and where required in the appropriate form. See Annex ZA.1 EN 13813.

Note 2: The performance of the product above is in conformity with the declared values, when installed/used in accordance with the manufacturers instructions and the relevant standards and codes of practice, and specifically the national building regulations and BS8204-7.

Signed for and on behalf of the manufacturer

**Ken Mulkerrins**
Technical Manager**Date**

12/05/2017



Kilsaran Concrete
Piercetown, Dunboyne Co. Meath
17

EN 13813
Cemfloor CT-C20-F4

Cementitious non wearing levelling screed material for internal use

Compressive Strength:	C20
Flexural Strength:	F4
Reaction to Fire:	Class A1
Water Permeability:	NPD
Water Vapour Permeability:	NPD
Sound Insulation	NPD
Sound Absorption	NPD
Thermal Resistance	NPD
Chemical Resistance	NPD
Release of Corrosive Substances (pH)	CT

Note: Information on dangerous substances will only be given when and where required in the appropriate form. See Annex ZA.1 EN13813

See also Declaration of Performance DOP/LU/82667

Declaration of Performance

DOP/LU/83062

Cemfloor C25 F5**1. Unique Identification code of the product - type:** Code - 83062**2. Intended use:** Kilsaran Concrete declares, in accordance with Regulation (EU) No. 305/2011 of the European Parliament and of the Council, that the products, named above for use as an internal levelling screed, conforms to the provisions of Annex ZA of EN 13813.**3. Manufacturer:** Kilsaran Concrete, Piercetown Dunboyne Co. Meath - Manufactured at Lucan Co. Dublin**4. Authorised Representative:** n/a**5. System/s of AVCP:** System 4**6a. Harmonised Standard:** EN13813 **Notified Body:** n/a**7. Declared Performance**

Characteristic	Declared Performance	Harmonised Technical Specification
Compressive Strength	C25	EN 13892-2
Flexural Strength	F5	EN 13892-2
Reaction to Fire	Class A1	EN 13501-1
Water Permeability	NPD	N/A
Water Vapour Permeability	NPD	N/A
Sound Insulation	NPD	N/A
Sound Absorption	NPD	N/A
Thermal Resistance	NPD	N/A
Chemical Resistance	NPD	N/A
Release of Corrosive Substances (pH)	CT	EN 13454-2

8. N/A<http://www.kilsaran.ie/build/technical - downloads>

Note 1: Information on dangerous substances will only be given when and where required in the appropriate form. See Annex ZA.1 EN 13813.

Note 2: The performance of the product above is in conformity with the declared values, when installed/used in accordance with the manufacturers instructions and the relevant standards and codes of practice, and specifically the national building regulations and BS8204-7.

Signed for and on behalf of the manufacturer

**Ken Mulkerrins**
Technical Manager**Date**

12/05/2017



Kilsaran Concrete
Piercetown, Dunboyne Co. Meath
17

EN 13813
Cemfloor CT-C25-F5

Cementitious non wearing levelling screed material for internal use

Compressive Strength:	C25
Flexural Strength:	F5
Reaction to Fire:	Class A1
Water Permeability:	NPD
Water Vapour Permeability:	NPD
Sound Insulation	NPD
Sound Absorption	NPD
Thermal Resistance	NPD
Chemical Resistance	NPD
Release of Corrosive Substances (pH)	CT

Note: Information on dangerous substances will only be given when and where required in the appropriate form. See Annex ZA.1 EN13813

See also Declaration of Performance DOP/LU/83062